

FIG. 1




FIG. 2




FIG. 3

RECEPTION NODE	WARNING FUNCTION	WARNING FUNCTION			
		WARNING BY IMAGE	WARNING BY CHARACTER	WARNING BY VOICE	WARNING BY SOUND
101 PERSONAL COMPUTER		○	○	○	○
104 TV MONITOR		○	○	○	○
103 TELEPHONE		×	○	○	○
102 STEREO		×	○	○	○

FIG. 4




FIG. 5




FIG. 6





FIG. 7

IEEE1394
SERIAL BUS

100

104



106




FIG. 8




FIG. 9




FIG. 10





FIG. 11



00628325 072810

FIG. 12




FIG. 15




FIG. 16




FIG. 17





FIG. 18



00528336 072800

FIG. 19

PRIORITY SEQUENCE	USER NAME	DESTINATION NUMBER	PASSWORD
—	DIGITAL TELEVISION	NODE ID=1	—
1	FATHER	010-1234-5678	ABCD
2	FATHER	<u>aaa@bbb.ccc.ddd</u>	ABCD
3	MOTHER	040-1234-5678	EFGH
4	SISTER	090-1234-5678	IJKL
5	BROTHER	090-8765-4321	MNOP
%	MANAGEMENT COMPANY	03-1234-3678	QRST

00000000000000000000000000000000